

Classification of the Soils

Conecuh County, Alabama

Soil name	Family or higher taxonomic class
Arundel-----	Fine, smectitic, thermic Typic Hapludults
Atmore-----	Coarse-loamy, siliceous, semiactive, thermic Plinthic Paleaquults
Bethera-----	Fine, mixed, semiactive, thermic Typic Paleaquults
Bibb-----	Coarse-loamy, siliceous, active, acid, thermic Typic Fluvaquents
Bigbee-----	Thermic, coated Typic Quartzipsammments
Bonneau-----	Loamy, siliceous, subactive, thermic Arenic Paleudults
Cadeville-----	Fine, mixed, thermic Albaquic Hapludalfs
Cahaba-----	Fine-loamy, siliceous, semiactive, thermic Typic Hapludults
Chrysler-----	Fine, mixed, semiactive, thermic Aquic Paleudults
Conecuh-----	Fine, smectitic, thermic Vertic Hapludults
Cowarts-----	Fine-loamy, kaolinitic, thermic Typic Kanhapludults
Fuquay-----	Loamy, kaolinitic, thermic Arenic Plinthic Kandiudults
Greenville-----	Clayey, kaolinitic, thermic Rhodic Kandiudults
Gritney-----	Fine, mixed, semiactive, thermic Aquic Hapludults
Halso-----	Clayey, montmorillonitic, thermic Aquic Hapludults
Izagora-----	Fine-loamy, siliceous, semiactive, thermic Aquic Paleudults
Luverne-----	Fine, mixed, semiactive, thermic Typic Hapludults
Malbis-----	Fine-loamy, siliceous, subactive, thermic Plinthic Paleudults
Oktibbeha-----	Very-fine, smectitic, thermic Vertic Hapludalfs
Orangeburg-----	Fine-loamy, kaolinitic, thermic Typic Kandiudults
Poarch-----	Coarse-loamy, siliceous, thermic Plinthic Paleudults
Red Bay-----	Fine-loamy, kaolinitic, thermic Rhodic Kandiudults
Saffell-----	Loamy-skeletal, siliceous, thermic Typic Hapludults
Troup-----	Loamy, kaolinitic, thermic Grossarenic Kandiudults
Yonges-----	Fine-loamy, mixed, active, thermic Typic Endoaqualfs